

MALTESE DIPLEMENT

shown on front: 29615 12x24 Roman Gray

With a nod to the modernist style of mid-century American designers like Philip Johnson and Charles Eames, Florida Tile has created Maltese^{DP}. This glazed porcelain floor and wall collection features small characteristic pits and slight veining of a quintessential limestone look. It is at once cool in tone and welcoming in spirit.

Pressed field tile in 12x12 and 12x24, a 25-piece mosaic, and a 3x12 bullnose are all available in an earthy Roman Gray color rendered in a smooth natural finish.

Maltese^{DP} is appropriate for most applications in both residential and commercial settings. It is made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY. It includes pre-consumer recycled content and is GREENGUARD® and Porcelain Tile certified.

ROMAN GRAY



29615 12x12 Roman Gray



29615 12x24 Roman Gray



29615/M12 Roman Gray Mosaic



above: 29615 12x12 Roman Gray

Technical Specifications	Results ¹
ANSI® A326.3 ²	Interior, Wet (IW) Mosaic Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 300 lbf. avg.
Water Absorption	≤ 0.5%³
Intended Use ⁴	Residential & Light Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x12	30x30	1	8mm	Pressed
12x24	30x60	.5	9mm	Pressed

 $^{^{\}scriptscriptstyle 1}\textsc{These}$ values may vary from lot to lot.

 $^{^{\}rm 3}$ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43C9	3x12	7.5x30

 $^{^{\}rm 1}{\rm These}$ values may vary from lot to lot.

Typical Uses

Maltese^{DP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation		
	V2 Slight Variation Clearly distinguishable differences in texture and/or pattern with similar colors.	

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.













² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

²These values are based on actual sizes including the grout joint.