# SEQUENCE COLOR BODY PORCELAIN

# floridatile



## LAYERS OF TIME

shown on front: 34901 24x48 Breeze

Sequence is inspired by the elegant Varana stone found in the Emilia Romagna region of Italy. With its light gray coloration, small compact granules and contrasting wave-like veining, Varana stone is the material of choice on altars and baptismal fonts throughout that area. Florida Tile's unique interpretation of this stone, Sequence brings versatile color and size options in a color body, rectified porcelain tile that realizes an ideal palette for designers.

The tone-on-tone veining in Sequence allows for beautiful shade variations in each of its four color choices: Breeze, a light dove tone with waves of a neutral beige; Drift, a warm taupe accentuated with darker grays and browns; Current, a medium gray with steel blue-gray delineations; and Vortex, a dark slate gray with black graphic effects.

This collection features a soft, flat surface and rectified edges allowing for tight, nearly seamless installations. Field tiles available

in all four colors include 3.75x12 and 12x24. A 24x48 is available in the colors Breeze, Drift, and Current.

Complementing the field tile are two mesh-mounted mosaics, a chic herringbone pattern made of 1x3 strips and an oversized 4" hexagon pattern. Completing the collection is a 3x24 bullnose. The mosaics and bullnose are available in all four collection colors.

Sequence is appropriate for most applications in both residential and commercial settings. It is made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY. It includes pre-consumer recycled content and is GREENGUARD® and Porcelain Tile certified. Incorporated into the tile surface is Microban® antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.









#### **COLORS**

Breeze







34938 Drift



34915 Current



34905 Vortex

#### **FIELD TILE FORMATS**



3.75x12 12x24



24x48

#### **MOSAICS**



34901/M1x3HER Breeze Herringbone (available in all colors)



34901/M4x4HEX Breeze Hexagon (available in all colors)

#### **TRIMS**

P43N9 3x24

Bullnose

## BREEZE



**34901** Breeze

### FIELD TILE FORMATS

2.7512	_	12x24	24.40
3.75x12		12X24	24x48



**34901/M1x3HER**Breeze Herringbone



**34901/M4x4HEX**Breeze Hexagon

## DRIFT



**34938** Drift

### FIELD TILE FORMATS

3.75x12	12x24	24x48




**34938/M1x3HER**Drift Herringbone



**34938/M4x4HEX**Drift Hexagon

## CURRENT



34915 Current

#### **FIELD TILE FORMATS**

3.75x12	12x24	24x48




**34915/M1x3HER**Current Herringbone



**34915/M4x4HEX**Current Hexagon

## VORTEX



**34905** Vortex

#### FIELD TILE FORMATS

3.75x12 12x24



**34905/M1x3HER**Vortex Herringbone



**34905/M4x4HEX**Vortex Hexagon





Porcelain Technical Data Properties (Floor)	Results <sup>1</sup>
ANSI® A326.3 <sup>2</sup>	Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 490 lbf. avg.
Water Absorption	≤ 0.5%³
Intended Use <sup>4</sup>	Residential, Light Commercial & Heavy Commercial

<sup>&</sup>lt;sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>&</sup>lt;sup>4</sup> Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
3.75x12	9.5x30	3.27	9mm	Rectified
12x24	30x60	.5	9mm	Rectified
24x48 <sup>4</sup>	60x120	.13	9mm	Rectified

Mosaic	Sku	Nominal Sheet Size (in) <sup>1</sup>	Metric (cm)	Thickness <sup>3</sup>
Herringbone	M1x3HER	12x12	30x30	9mm
Hexagon	M4x4HEX	11x13	28x33	9mm

Trim	Shape	Sku	Nominal Size (in) <sup>1</sup>	Metric (cm)
Bullnose		P43N9	3x24	7.5x60

<sup>&</sup>lt;sup>1</sup>These values may vary from lot to lot.

#### **Typical Uses**

Sequence color body porcelain tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

#### Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors.

Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.




























<sup>&</sup>lt;sup>2</sup> For more information, visit floridatile.com/productuseclassifications.

<sup>&</sup>lt;sup>3</sup> Average production value.

<sup>&</sup>lt;sup>2</sup>These values are based on actual sizes including the grout joint.

<sup>&</sup>lt;sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

<sup>&</sup>lt;sup>4</sup> Available in Breeze, Drift and Current.