

TIME 2.0

THROUGH BODY PORCELAIN FLOOR & WALL TILE



floridatile

TIME 2.0

shown on front: **T22B1 24x24** White Natural

Utilizing a double loaded porcelain manufacturing process, Time 2.0 delivers a highly durable, commercial grade through body floor and wall porcelain. Different from traditional marble veining or the "salt and pepper" double loaded looks, Time 2.0 is a contemporary evolution of what today's specifications require.

The beauty of the line comes from this simple play on color that on the surface seems simple, but is a complex balance of shade, tone, and texture. The extensive color palette consists of nine colors ranging from a Snow white to a deep Black. Each individual color is comprised of a solid body pigment that sets the overall tone of each tile. The smooth rich body is then decorated with slightly contrasting shades, created by individual granules of color that vary in dimension depth, thickness, and pattern. These granules create a unique tone-on-tone effect unlike any other tile in the market.

Featuring earthy neutral colors, Time 2.0 is destined to be a staple in any design library. Field tile is available in 3.75x12, 12x12, 12x24, and 24x24 formats, all with rectified edges. A natural finish is available in all sizes and the polished finish is optional on the 3.75x12 and the 12x24 formats. A 25 piece mesh-mounted mosaic with a natural finish is available in all color options. Rounding out the line is a trim package that includes a bullnose, cove base, and corner.

Time 2.0 is GREENGUARD® and Porcelain Tile Certified. It is suitable for most residential and commercial wall, countertop, backsplash, and most floor applications.


below: **T27B1 12x24** Grey Natural



SNOW



T21B1 24x24
Natural




T21B1 12x24
Natural
T2161 12x24
Polished (not shown)



T21B1 12x12
Natural



T21B1 3.75x12
Natural
T2161 3.75x12
Polished (not shown)



T21B1/M12
25pc Mosaic
Natural

WHITE




T22B1 24x24
Natural




T22B1 12x24
Natural



T22B1 12x12
Natural




T22B1 3.75x12
Natural



T22B1/M12
25pc Mosaic
Natural

CREAM



T23B1 24x24
Natural



T23B1 12x24
Natural
T2361 12x24
Polished (not shown)



T23B1 12x12
Natural




T23B1 3.75x12
Natural
T2361 3.75x12
Polished (not shown)



T23B1/M12
25pc Mosaic
Natural

BEIGE



T24B1 24x24
Natural




T24B1 12x24
Natural
T2461 12x24
Polished (not shown)



T24B1 12x12
Natural




T24B1 3.75x12
Natural
T2461 3.75x12
Polished (not shown)




T24B1/M12
25pc Mosaic
Natural

DOVE



T25B1 24x24
Natural



T25B1 12x24
Natural



T25B1 12x12
Natural




T25B1 3.75x12
Natural



T25B1/M12
25pc Mosaic
Natural

SILVER



T26B1 24x24
Natural



T26B1 12x24
Natural
T2661 12x24
Polished (not shown)



T26B1 12x12
Natural




T26B1 3.75x12
Natural
T2661 3.75x12
Polished (not shown)



T26B1/M12
25pc Mosaic
Natural

GREY



T27B1 24x24
Natural




T27B1 12x24
Natural



T27B1 12x12
Natural



T27B1 3.75x12
Natural



T27B1/M12
25pc Mosaic
Natural


CARBON



T28B1 24x24
Natural



T28B1 12x24
Natural
T2861 12x24
Polished (not shown)



T28B1 12x12
Natural



T28B1 3.75x12
Natural
T2861 3.75x12
Polished (not shown)



T28B1/M12
25pc Mosaic
Natural

BLACK



T29B1 24x24
Natural



T29B1 12x24
Natural
T2961 12x24
Polished (not shown)



T29B1 12x12
Natural



T29B1 3.75x12
Natural
T2961 3.75x12
Polished (not shown)



T29B1/M12
25pc Mosaic
Natural

TIME 2.0



above: **T26B1 24x24 Silver Natural**

Technical Specifications	Results ¹
ANSI® A326.3²	Natural Interior, Wet Plus (IW+) Polished Interior, Dry (ID)
Surface Hardness	7 Mohs
Break Strength	≥ 510 lbf. avg.
Water Absorption	≤ 0.5% ³
Intended Use⁴	Residential, Light Commercial & Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³ polished	Thickness ³ natural	Edge
3.75x12	9.5x30	3.25	10mm	10.5mm	Rectified
12x12	30x30	1	N/A	10.5mm	Rectified
12x24	30x60	.5	10mm	10.5mm	Rectified
24x24	60x60	.25	N/A	10.5mm	Rectified

¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	SKU	Nominal Size (in)	Metric (cm)
Bullnose (natural & polished ¹)		P43C9	3x12	7.5x30
Cove Base (natural)		P36C9	6x12	15x30
Cove Base Corner (natural)		PB3169	6x1	15x3

¹ Polished bullnose is only available in Snow, Cream, Beige, Silver, Carbon & Black


Typical Uses

Time 2.0 through body porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash and floor applications. Time 2.0 through body porcelain tile with a polished finish is appropriate for all residential and commercial wall, countertop, and backsplash applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation



V1 Uniform Appearance

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.



www.floridatile.com

floridatile is a registered trademark in the U.S. of Florida Tile, Inc. © 2022